Native WildFlowers - Suitable for Zone 4				
Northern BlueFlag Iris	Spring bloomer	2 – 3' tall	Full, Partial	Moist-Wet  Tolerant of standing waters
Wild Bergamot	Late summer bloomer. Butterfly attractor. Recommended for lake/streamside	2 – 3' tall	Full sun	Dry to moist  Flood and drought tolerant
Smooth Blue Aster	Valuable late summer bloomer for butterflies and pollinators	1 – 2' tall	Full, Partial	Dry - Moist
Wild sweet William, Meadow phlox	June, July, August	2 -3' tall	Full, Partial	Moist Well drained
White Beardtongue	Long blooming period in early summer (June – July)	1 – 3' tall	Full, Partial	Dry – Moist Well drained

Calico Beardtongue	Long blooming period in early summer (June – July)	1 – 3' tall	Full, Partial	Needs moist for full sun.
Culver's Root	June, July, August bloomer	4 -5' tall	Full, Partial	Moist to wet
Jewelweed "Touch me not"	June – Sept bloomer.  Blooms at lake – easy to transplant	2 – 5' tall	Full, Partial	Wet, Medium-Wet, Medium
Joe-Pye Weed	Mid-late summer bloomer. Good for butterflies and pollinators. Is on the lake -	3 – 5' tall	Full, Partial	Moist Flood tolerant
Monkey Flower	Blooms for about 4 weeks mid summer	2'	Full, Partial	Moist – likes swampy
Prairie Blazing Star	blooms in July, August, and September. It makes an excellent cut flower.	4'	Full, Partial	Wet, Medium-Wet, Medium

	T.,	I =1	l = "	
Rosinweed	July, August, September	Up to 5'	Full	Medium-Wet, Medium, Medium- Dry, Dry
	July, August,	3'	Full, partial	Wet, Medium-Wet,
	September, October			Medium
Great Blue Lobelia	June, July, August	3'	Full, partial	Medium-Wet,
Common Milkweed	Julie, July, August	3	ruii, partiai	Medium, Medium- Dry, Dry
Common Milkweed	June, July, August	4'	Full, partial	Wet, Medium-Wet,
Swamp Milkweed	June, July, August	7	Tan, partial	Medium
Swamp winkweed	August, September,	4'	Full, partial	Medium-Wet,
Brown Eyed Susan	October			Medium, Medium- Dry
	July, August,	2-3'	Full, partial	Medium-Wet,
Purple Coneflower	September			Medium, Medium- Dry

Wild Quinine	June, July, August, September	3-4'	Full	Medium, Medium- Dry
Swamp Candles	June, July, August	3'	Full	Wet, Medium-Wet
Turtlehead	July, August, September	5'	Full	Wet, Medium-Wet
Prairie Goldenrod	Larger, flatter flower clusters than most Goldenrods. Leaves turn nice shades of red in the fall.  Often blamed for hayfever. This is not true. Their pollen is large, sticky and cannot become airborne and can never make its way into your sinuses.	4'	Full, Partial	Medium-Wet, Medium, Medium- Dry, Dry
Prairie Smoke	Blooming in spring to early summer.	8" (low)	Full, Partial	Medium-Wet, Medium, Medium- Dry, Dry – well drained if wet

Flowering Spurge	six weeks in mid- to late summer, plants are bowed by numerous blossoms, which have yellow centers ringed by five white petals with a touch of green near the center	3'	Wet, Medium-Wet, Medium	Medium, Medium- Dry, Dry
Columbine	One of the first plants to provide nectar in the spring for bees, butterflies, and hummingbirds. The colorful flowers are red flowing into yellow.	2'	Full, Partial, Shade	Medium, Medium- Dry, Dry
Swamp Verbena	Recommended for lake/streamside	5'	Wet, Medium-Wet, Medium	Wet, Medium-Wet, Medium